

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S22	41	(authorization or authentication) with terminal with user with (prohibit or prevent or stop) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S23	241	(authorization or authentication) same terminal same user same (prohibit or prevent or stop) and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S24	774	(authorization or authentication) same terminal same user same (prohibit or prevent or stop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S25	11	(authorization or authentication) same terminal same user same prohibit and ("705".clas. or "707".clas. or "709".clas. or "711".clas. or "715".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S26	38	(authorization or authentication) same terminal same user same prohibit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S27	147	(authorization or authentication) near4 terminal near4 user and ("707".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S28	773	(authorization or authentication) near4 terminal near4 user and ("707".clas. or "709".clas. or "705".clas. or "711".clas. or "715".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06

## EAST Search History

S29	3671	(authorization or authentication) near4 terminal near4 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S30	8789	(authorization or authentication) with terminal with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S31	10228	(authorization or authentication) with terminal same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S32	14004	(authorization or authentication) same terminal same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S33	3656	authorization same terminal same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S34	6	authorization near4 prohibit near4 user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:15
S35	10	authorization near4 prohibit with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06

## EAST Search History

S36	37	authorization with prohibit with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S37	5	authorization with prohibit with user and ("707".clas. or "705".clas. or "711".clas. or "715".clas. or "709.clas")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:06
S41	8	prohibit with format near2 (convert or conversion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:16
S42	1	prohibit with format near2 (convert or conversion) and ("707".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:17
S43	0	prohibit with format near2 (chang\$3 or alter\$3 or convert or conversion) and (707/201.ccls. 707/6.ccls. 707/10.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:18
S44	0	prohibit same format near2 (chang\$3 or alter\$3 or convert or conversion) and (707/201.ccls. 707/6.ccls. 707/10.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:18
S45	0	prohibit same format with (chang\$3 or alter\$3 or convert or conversion) and (707/201.ccls. 707/6.ccls. 707/10.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:18

## EAST Search History

S46	1	prohibit same format\$4 with (chang\$3 or alter\$3 or convert or conversion) and (707/201.ccls. 707/6.ccls. 707/10.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:21
S47	4	(prohibit\$3 or stop\$4 or forbid\$4) with format\$4 with (chang\$3 or alter\$3 or convert or conversion) and (707/201.ccls. 707/6.ccls. 707/10.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 18:21



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

☒ Search only in Engineering, Computer Science, and Mathematics.

☐ Search in all subject areas.

**Scholar** [All articles](#) - [Recent articles](#) Results 1 - 10 of about 2,960 for **prohibit format conversion**. (0.24 seconds)

**All Results**

[G de Haan](#)

[J Grande](#)

[T Okuyama](#)

[D Mulligan](#)

[J Chen](#)

**[BOOK] Video processing for multimedia systems**

G de Haan - 2000 - ics.ele.tue.nl

... fundamental problems **prohibit** the use of linear lters ... **conversion** method, that has also been used for spatial ... popular for vertical and temporal **format** conversions ...

Cited by 43 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

**Generic Conversion of Communication Media for Supporting Personal Mobility** - all 5 versions »

T Pfeifer, R Popescu-Zeletin - ... and Applications: Third International COST 237 Workshop, ..., 1996 - books.google.com

... of bit errors both in **conversion** and in ... compression/decompression This parameter should **prohibit** multiple lossy ... compressed into JPEG [3 1] **format** only finally ...

Cited by 9 - [Related Articles](#) - [Web Search](#)

**Server-directed transcoding** - all 10 versions »

JC Mogul - Computer Communications, 2001 - Elsevier

... transformations, and in fact their design seems to specifically **prohibit** the cache ... proxy does not only offload the CPU costs for **format conversion**; because the ...

Cited by 21 - [Related Articles](#) - [Web Search](#)

**Towards an optimal television display format** - all 3 versions »

EB Bellers, G de Haan - Image Processing, 2000. Proceedings. 2000 International ..., 2000 - ieeexplore.ieee.org

... ABSTRACT The techniques for video **format conversion** recently have reached a maturity, where they no longer **prohibit** applica- tion in the consumer domain ...

Cited by 1 - [Related Articles](#) - [Web Search](#)

**[PDF] Multiplexer/demultiplexer implementation using a CCSDS format** - all 3 versions »

DL Grebe - INT TELEM CONF PROC, 1997 - apogeelabs.com

... The basic architecture must not **prohibit** data types of ... should be retained, such as **format conversion** or data ... and depacketized into its original **format** at the ...

Cited by 1 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**Format conversion apparatus and method, information recording/reproduction apparatus and method, and ...**

M SHIMBO, N HORII - EP Patent 1,411,514, 2004 - freepatentsonline.com

... embodiment of this invention, the **format conversion** method further ... to a non-move-compliant **format** using the ... To **prohibit** a move operation, the move permission ...

[Cached](#) - [Web Search](#)

**[PDF] Part 1: Extension of robots.txt format**

RE Protocol - the-acap.org

... to be used within robots.txt files that also contain permissions and prohibitions using the existing **format**. ... Crawlers in general are **prohibited** to crawl this ...

[View as HTML](#) - [Web Search](#)

**Broadcast receiver, program recording method and program product**

T Yamashita, A Ono, S Takahashi - 2005 - freepatentsonline.com

... if the detected information does not **prohibit** another copy ... video and audio signal streams, after **conversion** into a ... converted into a so-called NTSC **format** by an ...

[Cached](#) - [Web Search](#)

[PDF] [Professional D/A converter - all 8 versions](#) »

O Manual - 195.173.31.88

... and SDIF-2 formats simultaneously; also AES3 'Split96' capability • Digital interface **format conversion** • Mute control on ... " Dream **converter** unit " Dream ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[PDF] [Digital Signal Processor Data Path - all 4 versions](#) »

TB Representation, C Representation, FP Numbers - odinmp.imit.kth.se

... following formats 1. Q4-fixed-point **format** 2. The following floating-point **format**: S=b 4 ... A common optimization for fixed- point is to **prohibit** that one of the N ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Google

Result Page:    1   2   3   4   5   6   7   8   9   10    [Next](#)

prohibit format conversion

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google